

## Cup Anemometer *First Class Advanced*



### Description

Rugged and precise sensor for the measurement of the horizontal component of the wind speed.

Driven by the flow, the cups are set into rotation. A light barrier scans an optical disc in the interior of the sensor and provides a frequency linearly dependent on the wind speed.

A built-in electrical heating prevents the bearings and the rotating part of the sensor from being blocked by icing.

The sensor meets the latest requirements of MEASNET and IEC 61400-12 for the assessment of wind resources and wind turbine power characteristics.

### Technical Data

#### Sensor

Sensing element .....	Cup rotor
Transducer .....	Optoelectronic transmitter with frequency output
Output signal .....	0..50 m/s = 0..1000 Hz
Pulse level .....	LO = < 0.5 V HI = $V_{\text{Supply}}$ (max. 15 V)
Resolution .....	0.05 m wind run
Accuracy.....	0..15 m/s ± 0.3 m/s > 15 m/s ± 2% of reading
IEC 61400-121-CD classification .....	The anemometer meets in flat terrain all aspects of the requirements for a Class 1 anemometer.
Starting threshold.....	0.3 m/s

#### Rotor

Type.....	3 conical cups
Material .....	Plastic
Outside diameter .....	ø240 mm
Distance constant .....	< 3 m (for 63% recovery)
Bearings.....	Stainless steel ball bearings

#### Power Supply

Operating voltage .....	3.3..4.2 VDC
Current consumption .....	0.5 mA typical at 5 V, unloaded
Power-up time .....	50 ms

**Heating**

Heating power ..... 25 W, electronically controlled  
 Supply voltage ..... 24 VAC/DC

**Casing**

Material ..... anodized aluminium  
 Protection class ..... IP 55 in upright position  
 Dimensions ..... ø50 x 290 mm  
 Weight ..... 0.5 kg (cable exclusive)  
 Mounting ..... the sensor mounts on a standard one inches pipe with ø34 mm outside diameter and >ø25 mm inside diameter  
 Wind drag ..... approx. 100 N at 75 m/s

**Electrical connection**

Connector (at the sensor) ..... 8 pin circular connector  
 Connector (to data logger **wilog303/306**, opt.) ..... 6 pin circular connector DIN 45322  
 Cable ..... 10 x 0.25 mm<sup>2</sup>, shielded

**Wiring**

8 Pin Connector	6 Pin Connector	Wire	Function
3	2	white	(+) power supply
2	6	brown	ground
1	3	green	output signal
6 + 7	5	red+pink+violet	(+) heating
5 + 8	4	blue+black+grey	(-) heating
casing	casing	yellow/green and shield	cable shield

**Connection to Data Logger blueberry COMPACT**



**Standard Setup**

Input: **DIN1**  
 Functions: **vThiFc1 (m/s) = Frequency TTL \* 0.046 + 0.2**  
*(replace slope and offset by individual data from calibration sheet)*

**Environmental Conditions**

Operating temperature ..... -50...+80 °C  
 Relative humidity ..... 0..100%  
 Maximum wind speed ..... 85 m/s



**Hammer Steindamm 35**  
**D-22089 Hamburg • Germany**  
**phone: +49(0)40-75 66 08 98**  
**fax: +49(0)40-75 66 08 99**  
**eMail: info@wilmers.com**  
**www.wilmers.com**