

Cup Anemometer *First Class Advanced*



Description

Rugged and precise sensor for the measurement of the horizontal component of the wind speed.

Driven by the flow, the cups are set into rotation. A light barrier scans an optical disc in the interior of the sensor and provides a frequency linearly dependent on the wind speed.

The sensor meets the latest requirements of MEASNET and IEC 61400-12 for the assessment of wind resources and wind turbine power characteristics.

Technical Data

Sensor

Sensing element	Cup rotor
Transducer	Optoelectronic transmitter with frequency output
Output signal	0..50 m/s = 0..1000 Hz
Pulse level	LO = < 0.5 V HI = V_{Supply} (max. 15 V)
Resolution	0.05 m wind run
Accuracy.....	0..15 m/s ± 0.3 m/s > 15 m/s ± 2% of reading
IEC 61400-121-CD classification	The anemometer meets in flat terrain all aspects of the requirements for a Class 1 anemometer.
Starting threshold.....	0.3 m/s

Rotor

Type.....	3 conical cups
Material	Plastic
Outside diameter	ø240 mm
Distance constant	< 3 m (for 63% recovery)
Bearings.....	Stainless steel ball bearings

Power Supply

Operating voltage	3.3..4.2 VDC
Current consumption	0.5 mA typical at 5 V, unloaded
Power-up time	50 ms

Heating

Type..... no heating

Casing

Material anodized aluminium
 Protection class..... IP 55 in upright position
 Dimensions ø50 x 290 mm
 Weight 0.5 kg (cable exclusive)
 Mounting..... the sensor mounts on a standard one inches pipe with ø34 mm outside diameter and >ø25 mm inside diameter
 Wind drag approx. 100 N at 75 m/s


Electrical connection

Connector (at the sensor) 8 pin circular connector
 Connector (to data logger **wilog303/306**, opt.) 6 pin circular connector DIN 45322
 Cable 3 x 0.5 mm², shielded

Wiring

8 Pin Connector	6 Pin Connector	Wire	Function
3	2	white	(+) power supply
2	6	brown	ground
1	3	green	output signal
6 + 7	5	not connected	-
5 + 8	4	not connected	-
casing	casing	yellow/green and shield	cable shield

Connection to Data Logger blueberry COMPACT



Output Signal
 0..50 m/s = 0..1000 Hz

Standard Setup

Input: **DIN1**
 Functions: **vThiFc1 (m/s) = Frequency TTL * 0.046 + 0.2**
(replace slope and offset by individual data from calibration sheet)

Environmental Conditions

Operating temperature..... -50..+80 °C
 Relative humidity..... 0..100%
 Maximum wind speed..... 85 m/s

Hammer Steindamm 35
D-22089 Hamburg • Germany
phone: +49(0)40-75 66 08 98
fax: +49(0)40-75 66 08 99
eMail: info@wilmers.com
www.wilmers.com